

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("5867707" "6405361").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:51
S2	1	("EP 1211598").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:52
S3	1	(Cabillac and Lesot).in. and "Texas Instruments".as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:54
S4	153	Accenture.as. and @riad< "20021106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:37
S5	0	S4 and (agent with port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:38
S6	12	S4 and (agent with (address location port "I/O"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:39
S7	7	S6 and (generat\$4 with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:40
S8	210	framework.ab. and (generat\$4 with code) and ((service process\$3) with request) and ((activity context logic) with (flow application)) and (user with ((implement\$4 customi\$4 configur\$4 develop\$4) and request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:47

EAST Search History (Prior Art)

S9	45	S8 and network and XML and (generat\$4 with code).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:48
S10	611764	((user developer) with select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:55
S11	2660	S10 and network and XML and (generat\$4 with code).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:56
S12	38	S11 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:56
S13	0	S12 and (implement\$4 with (desired adj4 (service activity logic business)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 12:00
S14	15	S12 and (implement\$4 with (user and (service activity logic business)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 12:00
S15	3877	S10 and (generat\$4 with code) and ((service process\$3) with request) and ((activity context logic) with (flow application)) and (user with ((implement\$4 customi\$4 configur\$4 develop\$4) and request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 12:00
S16	1383	(query server service request) same (provid\$4 with (performance near5 (metadata descriptor information indication attribute)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 12:03

EAST Search History (Prior Art)

S17	41	S16 and (S15 S8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 12:04
S18	6	S17 and @riad<"20021106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 12:04
S19	2	"6957199".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 12:11
S20	2	"6405361".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 12:58
S21	8	(client near3 agent) same (((request\$4 transmit\$4 send) and receive\$4) with (implementation service query discovery return)) and (((performance descript\$4 connectivity port) with (specification code component data)) same (user near2 (choos\$3 select\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 13:03
S22	19	(client near3 agent) same (((request\$4 transmit\$4 send) and receive\$4) with (implementation service query discovery return)) and ((code near4 (implementation developm\$4 customi\$4 generat\$5)) with (mobile client user))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 13:07
S23	12	("6189138" "20030158915" "6256771" "6401114" "20020055956").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:34
S24	1	S23 and ((invok\$4 choos\$4 implement\$4 select\$4) adj3 agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:35

EAST Search History (Prior Art)

S25	0	S23 and ((developer user client) with (invok\$4 choos\$4 implement\$4 select\$4) adj3 adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:36
S26	1	S23 and ((developer user client) with ((look adj up) invok\$4 choos\$4 implement\$4 select\$4) adj3 (adapter agent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:36
S27	75	(framework same ((develop\$4 implement\$4 generat\$4) near5 (program application code executable))) and ((developer user client) with ((look adj up) invok\$4 choos\$4 implement\$4 select\$4) adj3 (adapter agent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:40
S28	129322	((server and (discovery request query)) same ((geographic\$3 port connectivity location server) near5 (identification information parameter meta-information attribute data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:42
S29	622	(framework same customi\$4) and ((develop\$4 implement\$4 generat\$4) near5 (program application code executable)) and ((developer user client) with (adapter agent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:43
S30	246	S28 and (S27 S29)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:44
S31	611764	((user developer) with select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:44
S32	3877	S31 and (generat\$4 with code) and ((service process\$3) with request) and ((activity context logic) with (flow application)) and (user with ((implement\$4 customi\$4 configur\$4 develop\$4) and request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:44

EAST Search History (Prior Art)

S33	818	S32 and ((user and select\$4) near6 (component (object and class) agent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:46
S34	0	S30 and S33 and ((implementation code application) with (context and (according "based on")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:47
S35	86	S30 and S33 and ((implementation code application) with context)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:47
S36	24	S35 and @rlad<"20021106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:48
S37	2	"7130807".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 14:59
S38	1	"WO 02069086"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 15:09
S39	0	"WO02069086"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 15:13
S40	1	"WO 02069086"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 15:13

EAST Search History (Prior Art)

S41	2	"6721713".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 15:17
S42	0	("2002952510" "20039901926").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 15:26
S43	2	("2002952510" "20039901926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 15:27
S44	6	("6973638" "7139728" "20010056362").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 15:32
S45	18	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/14 16:33
S46	3	S45 and ((select\$4 invok\$4 implement\$4) near4 (adapter agent)) and (select\$4 with ((port location services adapter site server) and component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 16:35
S47	18	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/16 13:36

EAST Search History (Prior Art)

S48	8	S47 and port and agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 13:37
S49	1	S48 and MCI.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 13:38
S50	0	"59503".an.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 13:42
S51	0	"59503".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 13:43
S52	0	"59503".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 13:43
S53	2	"159503".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 13:43
S54	1	"09159503" and MCI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 13:43
S55	2	"20030018694".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 14:43

EAST Search History (Prior Art)

S56	19	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$ or WO-0219097-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/16 15:09
S57	3	S56 and (address location identifier information) near4 (IP site port)) and (user with select\$4 with agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:11
S58	0	S56 and (agent SAME descriptor SAME port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:14
S59	0	S56 and (agent and descriptor SAME port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:14
S60	2	S56 and (agent and descriptor) and (IP address port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:15
S61	7	(Mehra Pace).in. and SABA.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:16
S62	0	(Bobick Pace).in. and SABA.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:17
S63	26	(Bobick Pace).in. and descriptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:18

EAST Search History (Prior Art)

S64	26	S63 and ((select\$4 available list\$3) port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:19
S65	0	S63 and ((select\$4 available list\$3) near7 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:19
S66	571	((software business transaction development) near5 framework) and ((select\$4 available list\$3) with (port and (server user agent)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:21
S67	2	S66 and (agent and descriptor) and (select\$4 near6 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:21
S68	35	S66 and (agent and proxy) and (select\$4 near6 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:23
S69	3	S68 and (generat\$4 with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:23
S70	10	S68 not (S67 S69) and (generat\$4 with (application component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:25
S71	1	Op40 and SABA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:30

EAST Search History (Prior Art)

S72	0	(Op40 SABA).as. and descriptor and container and asset and port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:31
S73	5	(Op40 SABA).as. and descriptor and container and asset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:31
S74	1	("6721747" "200300186694").pn. and descriptor and agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:37
S75	2	("6721747" "200300186694").pn. and descriptor and agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:37
S76	1	S75 and (((list\$3 available) and select\$4) near\$ (agent server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 15:39
S77	23	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$ or US-200300186694-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$ or US-7136857-\$ or US-7209921-\$ or US-6721747-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$ or WO-0219097-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/17 09:05
S78	3	S77 and collaborative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 09:07

EAST Search History (Prior Art)

S79	10	Guheen.in. and collaborative and framework	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 09:36
S80	10	S79 and (collaborat\$4 with (network agent framework))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 09:38
S81	0	S80 and multi-tier\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 09:38
S82	0	S80 and multiple near\$3 tier\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 09:38
S83	0	S80 and tier\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 09:39
S84	0	S80 and (collaborative same (transfer rout\$4 relay\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 09:40
S85	10	S80 and (collaborat\$3 same (transfer rout\$4 relay\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 09:40

EAST Search History (Prior Art)

S86	23	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$ or US-20030018694-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$ or US-7136857-\$ or US-7209921-\$ or US-6721747-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$ or WO-0219097-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/17 11:04
S87	7	S86 and (additional near2 (component service server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 11:05
S88	15	S86 and (generat\$4 adj3 (application code executable script component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 11:09
S89	41	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$ or US-20030018694-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$ or US-7136857-\$ or US-7209921-\$ or US-6721747-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$ or WO-0219097-\$).did. and agent	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/17 12:37
S90	41	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$ or US-20030018694-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$ or US-7136857-\$ or US-7209921-\$ or US-6721747-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$ or WO-0219097-\$).did. and agent	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/17 12:37

EAST Search History (Prior Art)

S91	23	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$ or US-20030018694-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$ or US-7136857-\$ or US-7209921-\$ or US-6721747-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$ or WO-0219097-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/17 12:38
S92	16	S91 and agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 12:38
S93	14	S92 and (port (IP near address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 12:39
S94	8	S89 and (subtask sub-service sub-module sub-component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 13:22
S95	1	"7154638".pn.	USPAT	OR	OFF	2010/05/18 17:13
S96	24	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$ or US-20030018694-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$ or US-7136857-\$ or US-7209921-\$ or US-6721747-\$ or US-7154638-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$ or WO-0219097-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/19 11:12
S97	4	S96 and (Rigole Lipkin Gangopadhyay).in. and context	USPAT	OR	OFF	2010/05/19 11:13
S98	10	S96 and (schema schematic) and model	USPAT	OR	OFF	2010/05/19 11:49
S99	3	S98 and (schematic) and model	USPAT	OR	OFF	2010/05/19 11:49

EAST Search History (Prior Art)

S10 0	24	(US-20050165764-\$ or US-20050216421-\$ or US-20040215665-\$ or US-20010056362-\$ or US-20030018694-\$).did. or (US-6405361-\$ or US-5867707-\$ or US-6957199-\$ or US-7630986-\$ or US-6175869-\$ or US-6256771-\$ or US-7072934-\$ or US-7130807-\$ or US-7089583-\$ or US-6721713-\$ or US-6973638-\$ or US-7139728-\$ or US-7136857-\$ or US-7209921-\$ or US-6721747-\$ or US-7154638-\$).did. or (EP-1211598-\$).did. or (WO-02069086-\$ or WO-0219097-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/19 12:53
S10 1	3	S100 and (Figole Lipkin Gangopadhyay).in. and (model same (graphical view)) and ((link\$4 join\$3 connect\$3 association) near6 (node diagram block icon))	USPAT	OR	OFF	2010/05/19 12:54
S10 2	3	S100 and (Figole Lipkin Gangopadhyay).in. and agent	USPAT	OR	OFF	2010/05/19 12:58
S10 3	0	S100 and (framework and agent) and (graphical same model)	USPAT	OR	OFF	2010/05/19 13:00
S10 4	0	S100 and (framework and agent) and (graphical same model)	USPAT	OR	OFF	2010/05/19 13:00
S10 5	0	S100 and (service and agent) and (graphical same (model tree))	USPAT	OR	OFF	2010/05/19 13:01
S10 6	49	(collaborative near5 (development framework integration)) and (service and agent) and (graphical same (model tree))	USPAT	OR	OFF	2010/05/19 13:01
S10 7	42	S106 and ((business transaction shop online) with (application activity logic flow))	USPAT	OR	OFF	2010/05/19 13:03
S10 8	3	S100 and (Figole Lipkin Gangopadhyay).in. and ((determin\$3 choos\$3 select\$4) near8 (method technique function program))	USPAT	OR	OFF	2010/05/19 13:13
S10 9	2	S100 and (Figole Lipkin Gangopadhyay).in. and (model same (graphical view)) and (method near4 call)	USPAT	OR	OFF	2010/05/19 13:45
S11 0	2	S100 and (Figole Lipkin Gangopadhyay).in. and (model same (graphical view)) and (method near4 code)	USPAT	OR	OFF	2010/05/19 13:45
S11 1	2	S100 and (Figole Lipkin Gangopadhyay).in. and (model same (graphical view)) and (method with class)	USPAT	OR	OFF	2010/05/19 13:45
S11 2	1	S101 not S110 and (function method)	USPAT	OR	OFF	2010/05/19 13:45